	÷			·		T-
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32477	(generat\$3 or creat\$3) with (code or routine or program or software or application) with (test\$3 or check\$3 or analy\$4) with (message or data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L2	11082	L1 and ((message or data or information) with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/26 12:32
L3	2389	WSDL or (web adj services adj description adj language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L4	71	(test\$3 with (message or data) with (exchange or transmission or transmit\$4) with percent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L5	669	L3 and ((test\$3 or verif\$4 or valid\$5 or check\$3) with messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L6	106	L5 and percent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L7	76	L2 and ((message or data or information) with pattern with state with (indicat\$3 or identifier or identification) with (system or comput\$3 or device or node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L8		L7 and ((generat\$3 or creat\$3) with (code or pseudo\$5 or program or software or routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32

				•		
L9	167	((WSDL or (web adj services adj description adj language)) with message\$1 with exchang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L10	2	L9 and (message\$1 with pattern with state\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L11	24	L5 and ((simulat\$3 or emulat\$3 or mimic\$4) with (transmit\$4 or transmission or transfer\$4 or transaction or deliver\$3 or receiv\$3 or receipt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L12	1	L11 and (chance with (transmit\$4 or transmission or exchange or patch\$3 or deliver\$3 or response or request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L13	15	L5 and ((generat\$3 or creat\$3 or develop\$3) with (code or program or software) with (test\$3 or verif\$4 or valid\$5) with (transmit\$4 or transmission or transfer\$4 or transaction or deliver\$3 or receiv\$3 or receipt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L14	2	"449555".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L15	5	L11 and (valid with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L16	589	L2 and ((message or data or information) with pattern with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32

			•	•		
L17	103	(test\$3 with network) and ((message or data) with (exchange or transmission or transmit\$4) with percent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L18	0	L5 and (percent\$3 with (WSDL or (web adj services adj description adj language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	: OR	ON	2007/12/26 12:32
L19	0	L5 and (percent\$3 same (WSDL or (web adj services adj description adj language)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L20	3700	L2 and ((message or data or information) with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L21	1	L8 and "719"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L22	1	L13 and ((simulat\$3 or emulat\$3 or mimic\$4) with (transmit\$4 or transmission or transfer\$4 or transaction or deliver\$3 or receiv\$3 or receipt))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32
L23	1	L14 and WSDL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	. OR	ON	2007/12/26 12:32
L24	1	L11 and (invalid with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 12:32

	L25	4 L11 and percent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/12/26 12:32
--	-----	----------------------	---	----	----	------------------



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+message +exchange +pattern test analyze evaluate determin



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction

Terms used:

message exchange pattern test analyze evaluate determine

Found 6,451 of 216,199

Sort results

relevance

Save results to a Binder

Try an Advanced Search

Display

Try this search in The ACM Guide

results

by

expanded form

Open results in a new window

? Search Tips

next

Results 1 - 20 of 200

Result page: 1 2

3 4

5 6 7 8 9 10

Relevance scale

Best 200 shown

Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97

Publisher: IBM Press

Full text available: pdf(4.21 MB)

Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 Operating system principles

Per Brinch Hansen January 1973 Book

Publisher: Prentice-Hall, Inc.

Full text available: pdf(16.81 MB)

Additional Information: full citation, abstract, references, cited by, index

terms

From the Preface

MAIN GOAL

This book tries to give students of computer science and professional programmers a general understanding of operating systems--the programs that enable people to share computers efficiently.

To make the sharing of a computer tolerable, an operating system must enforce certain rules of behavior on all its users. One would therefore expect the designers of operating systems to do their utmost to make them as s ...

3 Evaluating message understanding systems: an analysis of the third message understanding conference (MUC-3)

Nancy Chinchor, David D. Lewis, Lynette Hirschman September 1993 Computational Linguistics, Volume 19 Issue 3